

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	840	(606/181,182).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/11 12:34
L4	212	L3 and (tapered taper tapering)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/11 12:34
L5	94	L3 and (tapered taper tapering) same lancet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/11 12:35
L6	65	l5 and guide	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/11 12:35
L7	224	L3 and flange	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 12:44
L8	36	l7 and flange with guide	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 12:44
L9	796	((levaughn near richard) (kennedy near gwenn)(flynn near stephen)(griffin near carl)(irwin near john)(pynes near mary) (campbell near stephanie)(ruf near christopher)(solis mithcell) (robbins near avi)(heath near jason)).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 13:21
L10	92	l9 and lancet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/11 13:22
S1	1748	(606/167,181,182,183).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 15:16
S2	399	S1 and lancet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 14:01
S3	53	S2 and housing and cartridge	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 14:01
S4	3	("4794926" "4823806" "5514152").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 14:06
S5	1	("6228100").URFN.	USPAT	OR	OFF	2005/02/04 14:06
S6	7	("2801633" "3030959" "3760809" "4539988" "4715374").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 14:07
S7	10	("4794926").URFN.	USPAT	OR	OFF	2005/02/04 14:08

S8	10	("4794926").URFN.	USPAT	OR	OFF	2005/02/04 14:09
S9	1	S2 and (dampen)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 15:18
S10	81	S2 and (shock absorb\$)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 15:41
S11	14	S3 and lock	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 15:41
S12	840	(606/181,182).CCLS.	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/10 13:00
S13	144	S12 and (stopper dampen dampener dampening slow)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/10 13:01
S14	523	S12 and (guide flange)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/10 13:16
S15	283	S14 and path	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/10 13:16
S16	291	S12 and (multiple plurality) with lancet	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/10 14:02
S17	306	S12 and (multiple plurality) with lancet	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 14:03
S18	252	S17 and housing	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 14:03
S19	20	S18 and lock with housing	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 14:04
S20	28	S18 and lock same housing	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 14:08
S21	2	S18 and lock with (lid cover half)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 14:09
S22	4	S18 and lock same (lid cover half)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 14:09
S23	144	S12 and cartridge	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 14:10
S24	34	("6228100").URFN.	USPAT	OR	OFF	2008/04/10 14:23
S25	34	("6228100").URFN.	USPAT	OR	OFF	2008/04/10 14:30

S26	7	("2801633" "3030959" "3760809" "4539988" "4715374").PN.	US-PGRUB; USPAT; USOCR	OR	OFF	2008/04/10 14:30
S27	36	("4794926").URFN.	USPAT	OR	OFF	2008/04/10 14:31
S28	52	S12 and (reuse reuseable)	USPAT	OR	OFF	2008/04/10 14:40
S29	4	S12 and (reuseable)	USPAT	OR	OFF	2008/04/10 14:42
S30	1290	"206"/\$.ods. and ((cover lid) with lock)	USPAT	OR	OFF	2008/04/10 15:05
S31	198	"211"/\$.ods. and ((cover lid) with lock)	USPAT	OR	OFF	2008/04/10 15:05
S32	433	"222"/\$.ods. and ((cover lid) with lock)	USPAT	OR	OFF	2008/04/10 15:05
S33	125	S30 and (lid cover) with hook	USPAT	OR	OFF	2008/04/10 15:06
S34	21	S31 and (lid cover) with hook	USPAT	OR	OFF	2008/04/10 15:06
S35	25	S32 and (lid cover) with hook	USPAT	OR	OFF	2008/04/10 15:06
S36	0	S34 and cartridge	USPAT	OR	OFF	2008/04/10 15:07
S37	7	S33 and cartridge	USPAT	OR	OFF	2008/04/10 15:07
S38	3126	(604/22,117,10,207-211).CCLS.	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/10 15:21
S39	31	S38 and lock with (lid cover half)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 15:22
S40	65	S38 and lock same (lid cover half)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 15:22
S41	0	S40 and lancet	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 15:23
S42	67	S38 and lancet	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 15:23
S43	3	S42 and hook	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/04/10 15:23
S44	840	(606/181,182).CCLS.	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/10 15:50
S45	31	S44 and (spring with (dampen dampener dampening))	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/04/10 15:50

4/11/08 1:28:25 PM

C:\Documents and Settings\MMendoza\My Documents\EAST\Workspaces\10-569025.wsp